


EM291 MW-351?
ASAP(SOLID)
C26H25N

National Mass Spectrometry Facility, Swansea
Xevo G2-S

McLean
31-Oct-2019

HERLEE-ECXXA-WG-A 187 (1.746) AM (Cen,1, 80.00, Ar,10000.0,0.00,0.00); Cm (183:201)

1: TOF MS ASAP+
2.74e7




EM291 MW-351?
ASAP(SOLID)
C26H25N

National Mass Spectrometry Facility, Swansea
Xevo G2-S

McLean
31-Oct-2019

HERLEE-ECXXA-WG-A 187 (1.746) AM (Cen,1, 80.00, Ar,10000.0,0.00,0.00); Cm (183:201)

1: TOF MS ASAP+
1.99e6




EM291 MW-351?
ASAP(SOLID)
C26H25N

National Mass Spectrometry Facility, Swansea
Xevo G2-S

McLean
31-Oct-2019

HERLEE-ECXXA-WG-A 187 (1.746) AM (Cen,1, 80.00, Ar,10000.0,0.00,0.00); Cm (183:201)

1: TOF MS ASAP+
2.74e7



EM291 MW-351?

ASAP(SOLID)

C₂₆H₂₅N

HERLEE-ECXXA-WG-A 187 (1.746) AM (Cen,1, 80.00, Ar,10000.0,0.00,0.00); Cm (183:201)

National Mass Spectrometry Facility, Swansea


Xevo G2-S

McLean

31-Oct-2019

1: TOF MS ASAP+

2.74e7




EM291 MW-351?
ASAP(SOLID)
C26H25N

National Mass Spectrometry Facility, Swansea
Xevo G2-S

McLean
31-Oct-2019


HERLEE-ECXXA-WG-A (0.037) Is (1.00,0.01) C26H25NH

1: TOF MS ASAP+
7.51e12



HERLEE-ECXXA-WG-A 187 (1.746) AM (Cen,1, 80.00, Ar,10000.0,0.00,0.00); Cm (183:201)

1: TOF MS ASAP+
2.74e7



Single Mass Analysis

Tolerance = 5.0 PPM / DBE: min = -10.0, max = 100.0

Element prediction: Off

Number of isotope peaks used for i-FIT = 3

Monoisotopic Mass, Odd and Even Electron Ions

845 formula(e) evaluated with 4 results within limits (all results (up to 1000) for each mass)

Elements Used:

C: 0-60 H: 0-80 N: 0-12 O: 0-14

EM291 MW-351?

National Mass Spectrometry Facility, Swansea

McLean

ASAP(SOLID)


Xevo G2-S

31-Oct-2019

C26H25N

HERLEE-ECXXA-WG-A 187 (1.746) AM (Cen,1, 80.00, Ar,10000.0,0.00,0.00); Cm (183:201)

1: TOF MS ASAP+
2.74e+007



Minimum: -10.0
Maximum: 5.0 5.0 100.0

Mass	Calc. Mass	mDa	PPM	DBE	i-FIT	Norm	Conf (%)	Formula
352.2062	352.2065	-0.3	-0.9	14.5	2402.5	0.000	100.00	C26 H26 N
	352.2057	0.5	1.4	-3.0	2416.0	13.502	0.00	C11 H32 N2 O10
	352.2057	0.5	1.4	2.5	2416.6	14.174	0.00	C10 H26 N9 O5
	352.2070	-0.8	-2.3	2.0	2415.0	12.511	0.00	C12 H28 N6 O6