



Heriot-Watt University
Research Gateway

Crystal structure of 1,1'-bis[1,7-dicarba-closo-dodecaborane(11)]

Citation for published version:

Elrick, L, Rosair, GM & Welch, AJ 2014, 'Crystal structure of 1,1'-bis[1,7-dicarba-*closo*-dodecaborane(11)]', *Acta Crystallographica Section E: Structure Reports Online*, vol. 70, no. 11, pp. 376-378.
<https://doi.org/10.1107/S1600536814022132>

Digital Object Identifier (DOI):

[10.1107/S1600536814022132](https://doi.org/10.1107/S1600536814022132)

Link:

[Link to publication record in Heriot-Watt Research Portal](#)

Document Version:

Publisher's PDF, also known as Version of record

Published In:

Acta Crystallographica Section E: Structure Reports Online

General rights

Copyright for the publications made accessible via Heriot-Watt Research Portal is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy

Heriot-Watt University has made every reasonable effort to ensure that the content in Heriot-Watt Research Portal complies with UK legislation. If you believe that the public display of this file breaches copyright please contact open.access@hw.ac.uk providing details, and we will remove access to the work immediately and investigate your claim.



ISSN 1600-5368
journals.iucr.org/e

Crystal structure of 1,1'-bis[1,7-dicarba-*closo*-dodecaborane(11)]

Lisa Elrick, Georgina M. Rosair and Alan J. Welch

Acta Cryst. (2014). **E70**, 376–378



IUCr Journals
CRYSTALLOGRAPHY JOURNALS ONLINE

This open-access article is distributed under the terms of the Creative Commons Attribution Licence <http://creativecommons.org/licenses/by/2.0/uk/legalcode>, which permits unrestricted use, distribution, and reproduction in any medium, provided the original authors and source are cited.



Crystal structure of 1,1'-bis[1,7-dicarba-*closo*-dodecaborane(11)]

Lisa Elrick, Georgina M. Rosair and Alan J. Welch*

Institute of Chemical Sciences, School of Engineering & Physical Sciences, Heriot-Watt University, Edinburgh EH14 4AS, Scotland. *Correspondence e-mail: a.j.welch@hw.ac.uk

Received 24 September 2014

Accepted 7 October 2014

Edited by W. T. A. Harrison, University of Aberdeen, Scotland

In the title compound, $C_4H_{22}B_{20}$, the two {1,7-*closo*- $C_2B_{10}H_{11}$ } cages are linked across a centre of inversion, with $C-C = 1.5401(16)$ Å. The position of the second non-linking cage C atom was established unambiguously by geometric and crystallographic methods and there is no evidence of C/B disorder.


Keywords: crystal structure; carboranes; *closo*-dodecaborane(11)

CCDC reference: 1027936

Supporting information: this article has supporting information at journals.iucr.org/e


1. Chemical context

Whilst the chemistry of single-cage carboranes is well developed (Grimes, 2011) that of bis(carboranes) (two discrete carborane units connected *via* a two-centre two-electron bond) is not. There are several isomeric possibilities for bis(carboranes) composed of two C_2B_{10} icosahedra. Bis(*ortho*-carborane), 1,1'-bis[1,2-dicarba-*closo*-dodecaborane(11)] (Dupont & Hawthorne, 1964), is the best known and its chemistry has been modestly developed (Hawthorne & Owen, 1971; Harwell *et al.*, 1996, 1997; Yanovsky *et al.*, 1979; Herzog *et al.*, 1999; Ellis *et al.*, 2010*a,b*). Bis(*meta*-carborane), 1,1'-bis[1,7-dicarba-*closo*-dodecaborane(11)], the subject of this study is, however, less well known. It was first prepared by Zakharkin & Kovredov (1973) and later by Yang *et al.* (1995) with the latter authors providing 1H , ^{13}C and ^{11}B NMR spectroscopic and mass spectrometric analysis. We now report the structural study of the title compound, 1,1'-bis[1,7-dicarba-*closo*-dodecaborane(11)], (I).



2. Structural commentary

Molecules of (I) are composed of two {1,7-*closo*- $C_2B_{10}H_{11}$ } cages (the contents of the asymmetric unit) linked across a crystallographic inversion centre by the C1–C1A bond [1.5401(15) Å; symmetry code: $(A) \frac{1}{2} - x, \frac{1}{2} - y, 1 - z$] (Fig. 1). The two cages are essentially co-linear, $B12 \cdots C1 - C1A = 178.72(7)^\circ$, and the facing pentagons B2/B3/B4/B5/B6 and B2A/B3A/B4A/B5A/B6A are staggered. The five C1–B distances span the range 1.7107(12)–1.7385(12) Å, whilst C7–B connectivities lie between 1.6967(13) and 1.7180(13) Å, with, in both cases, the two shortest distances being to the B atoms (B2 and B3) that lie between the C atoms. The B2–B3 connectivity, 1.7947(13) Å, is the longest






Figure 1

Perspective view of the title compound with displacement ellipsoids drawn at the 50% probability level. The label suffix A refers to the symmetry operation $(-x + \frac{1}{2}, -y + \frac{1}{2}, -z + 1)$.

B—B link, with all (19) others lying between 1.7709 (13) and 1.7891 (15) Å. In general terms these C—B and B—B distances are fully consistent with the averages recently calculated, 1.705 (14) and 1.772 (11) Å, respectively (McAnaw *et al.*, 2013), from structural studies of the three carborane isomers 1,2-*closo*-C₂B₁₀H₁₂, 1,7-*closo*-C₂B₁₀H₁₂ and 1,12-*closo*-C₂B₁₀H₁₂ (Davidson *et al.*, 1996).

3. Supramolecular features

The only H···H contact less than 2.40 Å is H6···H6B at 2.39 Å [symmetry code: (B) $-x + 1, -y + 1, -z + 1$]. Although CH units and BH units in carboranes are protonic and hydridic, respectively, there is no evidence of dihydrogen bonding, the shortest such contact being H7···H12C at 2.61 Å [symmetry code: (C) $-x + \frac{1}{2}, y + \frac{1}{2}, -z + \frac{3}{2}$].

4. Database survey

A search of the Cambridge Structural Database (Groom & Allen, 2014) for the 1,7-*closo*-C₂B₁₀ fragment using Conquest (Version 1.16) returned 132 hits of which only two involve the 1,1'-bis(1,7-dicarba-*closo*-dodecaborane) unit. In DUWJAH (Stadlbauer *et al.*, 2010), there are {P(NMe₂)₂} groups attached to C7 and C7' whilst in DUWJEL (Stadlbauer *et al.*, 2010) these cage atoms are bound to {P(NMe₂)(OMe)} units. Of the remaining 130 hits there are five cases of the parent molecule 1,7-*closo*-C₂B₁₀H₁₂ co-crystallized with other molecules, the first of these to be reported being the hexamethylphosphoramide adduct TOKGOP (Davidson *et al.*, 1996), whilst all others involve either a single 1,7-*closo*-C₂B₁₀ cage with non-H substituents on one or more C or B atoms or multiple cages linked by other than a direct two-centre two-electron bond.

5. Synthesis and crystallization

The compound was prepared by the Cu^I-mediated coupling of lithiated *meta*-carborane, a method first reported by Yang *et al.* (1992) for *para*-carborane and later used by Ren & Xie (2008) for the coupling of *ortho*-carborane. The purity of the product was confirmed by elemental microanalysis and by mass spec-

Table 1

Experimental details.

Crystal data	
Chemical formula	C ₄ H ₂₂ B ₂₀
<i>M_r</i>	286.41
Crystal system, space group	Monoclinic, C2/c
Temperature (K)	100
<i>a</i> , <i>b</i> , <i>c</i> (Å)	12.1518 (13), 6.8308 (7), 19.9613 (19)
β (°)	93.005 (6)
<i>V</i> (Å ³)	1654.6 (3)
<i>Z</i>	4
Radiation type	Mo <i>K</i> α
μ (mm ⁻¹)	0.05
Crystal size (mm)	0.56 × 0.38 × 0.16
Data collection	
Diffractometer	Bruker APEXII CCD
Absorption correction	Multi-scan (SADABS; Bruker, 2008)
<i>T_{min}</i> , <i>T_{max}</i>	0.692, 0.747
No. of measured, independent and observed [<i>I</i> > 2σ(<i>I</i>)] reflections	19831, 3108, 2261
<i>R_{int}</i>	0.037
(sin θ/λ) _{max} (Å ⁻¹)	0.767
Refinement	
<i>R</i> [<i>F</i> ² > 2σ(<i>F</i> ²)], <i>wR</i> (<i>F</i> ²), <i>S</i>	0.045, 0.130, 1.04
No. of reflections	3108
No. of parameters	142
H-atom treatment	Only H-atom coordinates refined
Δρ _{max} , Δρ _{min} (e Å ⁻³)	0.33, -0.24

Computer programs: APEX2 and SAINT (Bruker, 2009), SHELXS97, SHELXL97 and SHELXTL (Sheldrick, 2008) and OLEX2 (Dolomanov *et al.*, 2009).

trometry and NMR spectroscopy, the last by comparison with data reported by Yang *et al.* (1995). Colourless plates were afforded by the slow evaporation of a dichloromethane solution.

6. Refinement

Crystal data, data collection and structure refinement details are summarized in Table 1. The complete molecule is generated by a crystallographic centre of symmetry at the mid-point of the C1—C1A bond. Initially only the linking atom C1 was identified as a C atom with all other cage atoms described as boron and with H atoms allowed positional refinement. This model (the *Prostructure*) was refined and then analysed by both the *Vertex-to-Centroid Distance* (McAnaw *et al.*, 2013) and the *Boron-Hydrogen Distance* (McAnaw *et al.*, 2014) methods. Both methods led to the same unambiguous conclusion regarding the location of the second C atom, C7, and there is no evidence of C/B disorder, a frequent problem in crystallographic studies of carboranes and heterocarboranes. Having identified C7, the refinement was completed with H atoms continuing to be freely refined positionally and with $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{C,B})$.

Acknowledgements

The authors thank the EPSRC for a DTA studentship awarded to LE.

References

- Bruker (2008). *SADABS*. Bruker AXS Inc., Madison, Wisconsin, USA.
- Bruker (2009). *APEX2* and *SAINT*. Bruker AXS Inc., Madison, Wisconsin, USA.
- Davidson, M. G., Hibbert, T. G., Howard, J. A. K., Mackinnon, A. & Wade, K. (1996). *Chem. Commun.* pp. 2285–2286.
- Dolomanov, O. V., Bourhis, L. J., Gildea, R. J., Howard, J. A. K. & Puschmann, H. (2009). *J. Appl. Cryst.* **42**, 339–341.
- Dupont, J. A. & Hawthorne, M. F. (1964). *J. Am. Chem. Soc.* **86**, 1643.
- Ellis, D., McKay, D., Macgregor, S. A., Rosair, G. M. & Welch, A. J. (2010a). *Angew. Chem. Int. Ed.* **49**, 4943–4945.
- Ellis, D., Rosair, G. M. & Welch, A. J. (2010b). *Chem. Commun.* **46**, 7394–7396.
- Grimes, R. N. (2011). *Carboranes*, 2nd ed., Oxford: Academic Press.
- Groom, C. R. & Allen, F. H. (2014). *Angew. Chem. Int. Ed. Engl.* **53**, 662–671.
- Harwell, D. E., McMillan, J., Knobler, C. B. & Hawthorne, M. F. (1997). *Inorg. Chem.* **36**, 5951–5955.
- Harwell, D. E., Mortimer, M. D., Knobler, C. B., Anet, F. A. L. & Hawthorne, M. F. (1996). *J. Am. Chem. Soc.* **118**, 2679–2685.
- Hawthorne, M. F. & Owen, D. A. (1971). *J. Am. Chem. Soc.* **93**, 873–880.
- Herzog, A., Maderna, A., Harakas, G. N., Knobler, C. B. & Hawthorne, M. F. (1999). *Chem. Eur. J.* **5**, 1212–1217.
- McAnaw, A., Lopez, M. E., Ellis, D., Rosair, G. M. & Welch, A. J. (2014). *Dalton Trans.* **43**, 5095–5105.
- McAnaw, A., Scott, G., Elrick, L., Rosair, G. M. & Welch, A. J. (2013). *Dalton Trans.* **42**, 645–664.
- Ren, S. & Xie, Z. (2008). *Organometallics*, **27**, 5167–5168.
- Sheldrick, G. M. (2008). *Acta Cryst. A* **64**, 112–122.
- Stadlbauer, S., Lonneck, P., Welzel, P. & Hey-Hawkins, E. (2010). *Eur. J. Org. Chem.* 3129–3139.
- Yang, X., Jiang, W., Knobler, C. B. & Hawthorne, M. F. (1992). *J. Am. Chem. Soc.* **114**, 9719–9721.
- Yang, X., Jiang, W., Knobler, C. B., Mortimer, M. D. & Hawthorne, M. F. (1995). *Inorg. Chim. Acta*, **240**, 371–378.
- Yanovsky, A. I., Furmanova, N. G., Struchkov, Yu. T., Shemyakin, N. F. & Zakharkin, L. I. (1979). *Izv. Akad. Nauk SSSR Ser. Khim.* pp. 1523–1528.
- Zakharkin, L. I. & Kovredov, A. I. (1973). *Izv. Akad. Nauk SSSR Ser. Khim.* pp. 1428–1429.

supporting information

Acta Cryst. (2014). E70, 376-378 [doi:10.1107/S1600536814022132]

Crystal structure of 1,1'-bis[1,7-dicarba-closo-dodecaborane(11)]

Lisa Elrick, Georgina M. Rosair and Alan J. Welch

Computing details

Data collection: *APEX2* (Bruker, 2009); cell refinement: *SAINT* (Bruker, 2009); data reduction: *SAINT* (Bruker, 2009); program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *SHELXTL* (Sheldrick, 2008); software used to prepare material for publication: *OLEX2* (Dolomanov *et al.*, 2009).

1,1'-Bis[1,7-dicarba-closo-dodecaborane(11)]

Crystal data

$C_4H_{22}B_{20}$

$M_r = 286.41$

Monoclinic, $C2/c$

$a = 12.1518$ (13) Å

$b = 6.8308$ (7) Å

$c = 19.9613$ (19) Å

$\beta = 93.005$ (6)°

$V = 1654.6$ (3) Å³

$Z = 4$

$F(000) = 584$

$D_x = 1.150$ Mg m⁻³

Mo $K\alpha$ radiation, $\lambda = 0.71073$ Å

Cell parameters from 4828 reflections

$\theta = 3.4\text{--}32.2^\circ$

$\mu = 0.05$ mm⁻¹

$T = 100$ K

Plate, colourless

$0.56 \times 0.38 \times 0.16$ mm

Data collection

Bruker APEXII CCD

diffractometer

Graphite monochromator

φ and ω scans

Absorption correction: multi-scan

(*SADABS*; Bruker, 2008)

$T_{\min} = 0.692$, $T_{\max} = 0.747$

19831 measured reflections

3108 independent reflections

2261 reflections with $I > 2\sigma(I)$

$R_{\text{int}} = 0.037$

$\theta_{\max} = 33.0^\circ$, $\theta_{\min} = 3.4^\circ$

$h = -18 \rightarrow 18$

$k = -10 \rightarrow 10$

$l = -30 \rightarrow 30$

Refinement

Refinement on F^2

Least-squares matrix: full

$R[F^2 > 2\sigma(F^2)] = 0.045$

$wR(F^2) = 0.130$

$S = 1.04$

3108 reflections

142 parameters

0 restraints

Hydrogen site location: difference Fourier map

Only H-atom coordinates refined

$w = 1/[\sigma^2(F_o^2) + (0.0689P)^2 + 0.3243P]$

where $P = (F_o^2 + 2F_c^2)/3$

$(\Delta/\sigma)_{\max} = 0.002$

$\Delta\rho_{\max} = 0.33$ e Å⁻³

$\Delta\rho_{\min} = -0.24$ e Å⁻³

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
C1	0.26856 (6)	0.25524 (11)	0.53744 (4)	0.01245 (16)
B2	0.29131 (8)	0.48296 (14)	0.57171 (5)	0.01579 (19)
H2	0.2736 (8)	0.6130 (16)	0.5456 (5)	0.019*
B3	0.17518 (8)	0.33659 (14)	0.59232 (5)	0.01583 (19)
H3	0.0950 (8)	0.3915 (16)	0.5773 (5)	0.019*
B4	0.21591 (8)	0.08725 (14)	0.59283 (5)	0.01628 (19)
H4	0.1605 (8)	-0.0227 (15)	0.5742 (5)	0.020*
B5	0.35699 (8)	0.07852 (13)	0.57241 (5)	0.01582 (19)
H5	0.3839 (8)	-0.0388 (15)	0.5406 (5)	0.019*
B6	0.40335 (7)	0.32253 (14)	0.55914 (5)	0.01591 (19)
H6	0.4600 (8)	0.3529 (15)	0.5201 (5)	0.019*
C7	0.25880 (7)	0.44568 (13)	0.65235 (4)	0.01717 (18)
H7	0.2280 (9)	0.5573 (16)	0.6744 (5)	0.021*
B8	0.20858 (8)	0.21700 (15)	0.66948 (5)	0.0191 (2)
H8	0.1434 (9)	0.2019 (15)	0.7044 (6)	0.023*
B9	0.32124 (9)	0.05629 (15)	0.65735 (5)	0.0194 (2)
H9	0.3297 (9)	-0.0839 (16)	0.6842 (5)	0.023*
B10	0.43699 (8)	0.20190 (15)	0.63657 (5)	0.0185 (2)
H10	0.5214 (9)	0.1591 (17)	0.6502 (5)	0.022*
B11	0.39611 (8)	0.45205 (14)	0.63588 (5)	0.0178 (2)
H11	0.4447 (8)	0.5781 (16)	0.6513 (5)	0.021*
B12	0.34531 (8)	0.28755 (15)	0.69637 (5)	0.0187 (2)
H12	0.3626 (8)	0.3182 (15)	0.7501 (5)	0.022*

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
C1	0.0119 (3)	0.0128 (3)	0.0124 (4)	-0.0003 (3)	-0.0010 (3)	-0.0007 (3)
B2	0.0178 (4)	0.0138 (4)	0.0154 (4)	-0.0005 (3)	-0.0024 (3)	-0.0020 (3)
B3	0.0145 (4)	0.0191 (4)	0.0138 (4)	0.0009 (3)	-0.0001 (3)	-0.0030 (3)
B4	0.0177 (4)	0.0170 (4)	0.0140 (4)	-0.0025 (3)	-0.0001 (3)	0.0010 (3)
B5	0.0165 (4)	0.0154 (4)	0.0151 (4)	0.0026 (3)	-0.0031 (3)	-0.0006 (3)
B6	0.0124 (4)	0.0190 (4)	0.0160 (4)	-0.0012 (3)	-0.0016 (3)	-0.0020 (3)
C7	0.0167 (4)	0.0201 (4)	0.0144 (4)	0.0023 (3)	-0.0020 (3)	-0.0044 (3)
B8	0.0207 (5)	0.0229 (5)	0.0137 (4)	-0.0019 (4)	0.0002 (4)	-0.0009 (3)
B9	0.0250 (5)	0.0186 (4)	0.0142 (4)	0.0019 (3)	-0.0020 (4)	0.0008 (3)
B10	0.0165 (4)	0.0219 (5)	0.0167 (5)	0.0037 (3)	-0.0042 (3)	-0.0034 (3)
B11	0.0156 (4)	0.0203 (4)	0.0169 (5)	-0.0009 (3)	-0.0033 (3)	-0.0034 (3)
B12	0.0197 (4)	0.0212 (4)	0.0147 (4)	0.0030 (3)	-0.0028 (3)	-0.0019 (3)

Geometric parameters (Å, °)

C1—C1 ⁱ	1.5401 (15)	B5—B9	1.7786 (14)
C1—B2	1.7158 (12)	B5—B10	1.7790 (13)
C1—B3	1.7107 (12)	B6—H6	1.086 (11)
C1—B4	1.7385 (12)	B6—B10	1.7802 (14)
C1—B5	1.7380 (12)	B6—B11	1.7751 (14)
C1—B6	1.7342 (12)	C7—H7	0.966 (11)
B2—H2	1.046 (11)	C7—B8	1.7179 (13)
B2—B3	1.7947 (13)	C7—B11	1.7180 (13)
B2—B6	1.7758 (13)	C7—B12	1.7167 (13)
B2—C7	1.6967 (13)	B8—H8	1.087 (11)
B2—B11	1.7709 (13)	B8—B9	1.7812 (14)
B3—H3	1.072 (10)	B8—B12	1.7854 (14)
B3—B4	1.7735 (13)	B9—H9	1.099 (11)
B3—C7	1.7017 (13)	B9—B10	1.7891 (15)
B3—B8	1.7717 (14)	B9—B12	1.7787 (14)
B4—H4	1.063 (10)	B10—H10	1.087 (10)
B4—B5	1.7839 (13)	B10—B11	1.7794 (14)
B4—B8	1.7745 (14)	B10—B12	1.7742 (14)
B4—B9	1.7802 (14)	B11—H11	1.079 (11)
B5—H5	1.084 (10)	B11—B12	1.7832 (14)
B5—B6	1.7836 (13)	B12—H12	1.103 (11)
C1 ⁱ —C1—B2	117.51 (8)	B2—C7—B3	63.76 (5)
C1 ⁱ —C1—B3	117.79 (8)	B2—C7—H7	115.4 (6)
C1 ⁱ —C1—B4	119.19 (8)	B2—C7—B8	115.35 (7)
C1 ⁱ —C1—B5	120.07 (8)	B2—C7—B11	62.48 (5)
C1 ⁱ —C1—B6	118.65 (8)	B2—C7—B12	114.41 (7)
B2—C1—B4	113.69 (6)	B3—C7—H7	115.8 (6)
B2—C1—B5	112.72 (6)	B3—C7—B8	62.41 (6)
B2—C1—B6	61.95 (5)	B3—C7—B11	115.24 (6)
B3—C1—B2	63.17 (5)	B3—C7—B12	114.33 (7)
B3—C1—B4	61.88 (5)	B8—C7—H7	118.5 (6)
B3—C1—B5	112.66 (6)	B8—C7—B11	114.82 (7)
B3—C1—B6	113.79 (6)	B11—C7—H7	118.1 (6)
B5—C1—B4	61.74 (5)	B12—C7—H7	120.3 (7)
B6—C1—B4	112.98 (6)	B12—C7—B8	62.64 (6)
B6—C1—B5	61.82 (5)	B12—C7—B11	62.55 (6)
C1—B2—H2	123.1 (6)	B3—B8—B4	60.01 (5)
C1—B2—B3	58.28 (5)	B3—B8—H8	117.4 (6)
C1—B2—B6	59.53 (5)	B3—B8—B9	107.98 (7)
C1—B2—B11	105.96 (6)	B3—B8—B12	107.70 (7)
B3—B2—H2	116.3 (5)	B4—B8—H8	125.3 (6)
B6—B2—H2	126.3 (5)	B4—B8—B9	60.09 (6)
B6—B2—B3	107.85 (7)	B4—B8—B12	107.82 (7)
C7—B2—C1	101.62 (6)	C7—B8—B3	58.35 (5)
C7—B2—H2	123.3 (6)	C7—B8—B4	104.36 (7)

C7—B2—B3	58.26 (5)	C7—B8—H8	119.5 (6)
C7—B2—B6	105.06 (7)	C7—B8—B9	104.46 (7)
C7—B2—B11	59.35 (5)	C7—B8—B12	58.65 (5)
B11—B2—H2	125.6 (6)	B9—B8—H8	128.3 (6)
B11—B2—B3	108.18 (7)	B9—B8—B12	59.83 (6)
B11—B2—B6	60.06 (5)	B12—B8—H8	122.0 (6)
C1—B3—B2	58.55 (5)	B4—B9—B8	59.77 (5)
C1—B3—H3	124.0 (5)	B4—B9—H9	120.1 (6)
C1—B3—B4	59.83 (5)	B4—B9—B10	108.09 (7)
C1—B3—B8	106.11 (7)	B5—B9—B4	60.17 (5)
B2—B3—H3	117.1 (6)	B5—B9—B8	107.75 (7)
B4—B3—B2	108.29 (6)	B5—B9—H9	121.1 (6)
B4—B3—H3	126.0 (6)	B5—B9—B10	59.82 (6)
C7—B3—C1	101.63 (6)	B5—B9—B12	107.39 (7)
C7—B3—B2	57.99 (5)	B8—B9—H9	121.6 (6)
C7—B3—H3	122.9 (6)	B8—B9—B10	107.95 (7)
C7—B3—B4	105.09 (7)	B10—B9—H9	122.8 (6)
C7—B3—B8	59.24 (5)	B12—B9—B4	107.87 (7)
B8—B3—B2	108.01 (7)	B12—B9—B8	60.20 (6)
B8—B3—H3	124.6 (6)	B12—B9—H9	123.5 (6)
B8—B3—B4	60.07 (5)	B12—B9—B10	59.64 (6)
C1—B4—B3	58.29 (5)	B5—B10—B6	60.15 (5)
C1—B4—H4	119.4 (6)	B5—B10—B9	59.80 (5)
C1—B4—B5	59.11 (5)	B5—B10—H10	121.7 (6)
C1—B4—B8	104.80 (6)	B5—B10—B11	107.91 (7)
C1—B4—B9	105.30 (6)	B6—B10—B9	108.12 (7)
B3—B4—H4	120.4 (6)	B6—B10—H10	120.9 (6)
B3—B4—B5	107.58 (6)	B9—B10—H10	122.4 (6)
B3—B4—B8	59.91 (5)	B11—B10—B6	59.83 (5)
B3—B4—B9	107.94 (7)	B11—B10—B9	108.24 (7)
B5—B4—H4	119.6 (6)	B11—B10—H10	121.3 (6)
B8—B4—H4	126.6 (6)	B12—B10—B5	107.57 (7)
B8—B4—B5	107.81 (7)	B12—B10—B6	107.92 (7)
B8—B4—B9	60.14 (6)	B12—B10—B9	59.89 (6)
B9—B4—H4	126.0 (6)	B12—B10—H10	122.5 (6)
B9—B4—B5	59.87 (5)	B12—B10—B11	60.24 (6)
C1—B5—B4	59.14 (5)	B2—B11—B6	60.10 (5)
C1—B5—H5	118.5 (5)	B2—B11—B10	108.06 (7)
C1—B5—B6	58.98 (5)	B2—B11—H11	118.2 (6)
C1—B5—B9	105.39 (6)	B2—B11—B12	107.67 (7)
C1—B5—B10	105.26 (6)	B6—B11—B10	60.11 (5)
B4—B5—H5	118.8 (5)	B6—B11—H11	126.3 (6)
B6—B5—B4	108.51 (6)	B6—B11—B12	107.75 (7)
B6—B5—H5	119.8 (5)	C7—B11—B2	58.17 (5)
B9—B5—B4	59.96 (5)	C7—B11—B6	104.18 (6)
B9—B5—H5	126.3 (5)	C7—B11—B10	104.34 (7)
B9—B5—B6	108.43 (7)	C7—B11—H11	119.2 (6)
B9—B5—B10	60.38 (6)	C7—B11—B12	58.69 (5)

B10—B5—B4	108.37 (7)	B10—B11—H11	128.0 (6)
B10—B5—H5	127.0 (5)	B10—B11—B12	59.73 (6)
B10—B5—B6	59.96 (5)	B12—B11—H11	120.9 (6)
C1—B6—B2	58.52 (5)	C7—B12—B8	58.71 (5)
C1—B6—B5	59.20 (5)	C7—B12—B9	104.62 (7)
C1—B6—H6	119.8 (5)	C7—B12—B10	104.62 (7)
C1—B6—B10	105.37 (7)	C7—B12—B11	58.76 (5)
C1—B6—B11	105.00 (6)	C7—B12—H12	117.3 (6)
B2—B6—B5	107.77 (6)	B8—B12—H12	118.1 (5)
B2—B6—H6	120.2 (6)	B9—B12—B8	59.97 (6)
B2—B6—B10	107.81 (7)	B9—B12—B11	108.54 (7)
B5—B6—H6	120.1 (6)	B9—B12—H12	127.8 (6)
B10—B6—B5	59.89 (5)	B10—B12—B8	108.42 (7)
B10—B6—H6	125.9 (5)	B10—B12—B9	60.47 (6)
B11—B6—B2	59.83 (5)	B10—B12—B11	60.02 (6)
B11—B6—B5	107.90 (7)	B10—B12—H12	128.5 (5)
B11—B6—H6	125.9 (6)	B11—B12—B8	108.44 (7)
B11—B6—B10	60.07 (5)	B11—B12—H12	119.0 (6)
C1 ⁱ —C1—B2—B3	109.00 (9)	B4—B9—B12—C7	-2.16 (9)
C1 ⁱ —C1—B2—B6	-109.58 (9)	B4—B9—B12—B8	37.42 (7)
C1 ⁱ —C1—B2—C7	149.66 (8)	B4—B9—B12—B10	-100.91 (7)
C1 ⁱ —C1—B2—B11	-149.18 (8)	B4—B9—B12—B11	-63.62 (8)
C1 ⁱ —C1—B3—B2	-108.57 (9)	B5—C1—B2—B3	-104.85 (7)
C1 ⁱ —C1—B3—B4	110.08 (9)	B5—C1—B2—B6	36.57 (6)
C1 ⁱ —C1—B3—C7	-149.09 (8)	B5—C1—B2—C7	-64.19 (8)
C1 ⁱ —C1—B3—B8	149.86 (8)	B5—C1—B2—B11	-3.04 (8)
C1 ⁱ —C1—B4—B3	-107.87 (9)	B5—C1—B3—B2	104.94 (7)
C1 ⁱ —C1—B4—B5	110.57 (10)	B5—C1—B3—B4	-36.40 (6)
C1 ⁱ —C1—B4—B8	-147.27 (9)	B5—C1—B3—C7	64.43 (8)
C1 ⁱ —C1—B4—B9	150.21 (8)	B5—C1—B3—B8	3.37 (8)
C1 ⁱ —C1—B5—B4	-109.18 (9)	B5—C1—B4—B3	141.56 (7)
C1 ⁱ —C1—B5—B6	108.56 (10)	B5—C1—B4—B8	102.16 (7)
C1 ⁱ —C1—B5—B9	-148.89 (9)	B5—C1—B4—B9	39.65 (6)
C1 ⁱ —C1—B5—B10	148.25 (8)	B5—C1—B6—B2	-141.43 (7)
C1 ⁱ —C1—B6—B2	107.77 (9)	B5—C1—B6—B10	-39.68 (6)
C1 ⁱ —C1—B6—B5	-110.79 (10)	B5—C1—B6—B11	-102.16 (7)
C1 ⁱ —C1—B6—B10	-150.48 (8)	B5—B4—B8—B3	100.40 (7)
C1 ⁱ —C1—B6—B11	147.05 (9)	B5—B4—B8—C7	61.04 (8)
C1—B2—B3—B4	34.67 (6)	B5—B4—B8—B9	-37.60 (7)
C1—B2—B3—C7	131.37 (7)	B5—B4—B8—B12	-0.16 (9)
C1—B2—B3—B8	98.24 (7)	B5—B4—B9—B8	137.81 (7)
C1—B2—B6—B5	-34.22 (6)	B5—B4—B9—B10	37.16 (6)
C1—B2—B6—B10	-97.46 (7)	B5—B4—B9—B12	100.20 (8)
C1—B2—B6—B11	-134.99 (7)	B5—B6—B10—B9	-37.05 (6)
C1—B2—C7—B3	-40.67 (6)	B5—B6—B10—B11	-138.05 (7)
C1—B2—C7—B8	-4.28 (8)	B5—B6—B10—B12	-100.38 (7)
C1—B2—C7—B11	101.80 (7)	B5—B6—B11—B2	-100.57 (7)

C1—B2—C7—B12	65.63 (8)	B5—B6—B11—C7	-61.17 (8)
C1—B2—B11—B6	39.35 (6)	B5—B6—B11—B10	37.42 (6)
C1—B2—B11—C7	-94.25 (7)	B5—B6—B11—B12	0.02 (9)
C1—B2—B11—B10	1.73 (8)	B5—B9—B10—B6	37.21 (6)
C1—B2—B11—B12	-61.36 (8)	B5—B9—B10—B11	100.53 (7)
C1—B3—B4—B5	34.03 (6)	B5—B9—B10—B12	137.84 (7)
C1—B3—B4—B8	134.83 (7)	B5—B9—B12—C7	61.30 (8)
C1—B3—B4—B9	97.24 (7)	B5—B9—B12—B8	100.89 (7)
C1—B3—C7—B2	40.82 (6)	B5—B9—B12—B10	-37.44 (6)
C1—B3—C7—B8	-101.96 (7)	B5—B9—B12—B11	-0.15 (9)
C1—B3—C7—B11	4.14 (9)	B5—B10—B11—B2	0.07 (9)
C1—B3—C7—B12	-65.61 (8)	B5—B10—B11—B6	-37.54 (6)
C1—B3—B8—B4	-39.66 (6)	B5—B10—B11—C7	60.79 (8)
C1—B3—B8—C7	94.14 (7)	B5—B10—B11—B12	100.41 (7)
C1—B3—B8—B9	-2.08 (9)	B5—B10—B12—C7	-61.27 (8)
C1—B3—B8—B12	61.11 (8)	B5—B10—B12—B8	0.13 (9)
C1—B4—B5—B6	33.59 (6)	B5—B10—B12—B9	37.48 (6)
C1—B4—B5—B9	134.64 (7)	B5—B10—B12—B11	-100.98 (7)
C1—B4—B5—B10	97.16 (7)	B6—C1—B2—B3	-141.42 (7)
C1—B4—B8—B3	38.61 (6)	B6—C1—B2—C7	-100.76 (7)
C1—B4—B8—C7	-0.75 (8)	B6—C1—B2—B11	-39.60 (6)
C1—B4—B8—B9	-99.38 (7)	B6—C1—B3—B2	36.98 (7)
C1—B4—B8—B12	-61.94 (8)	B6—C1—B3—B4	-104.36 (7)
C1—B4—B9—B5	-39.28 (6)	B6—C1—B3—C7	-3.54 (9)
C1—B4—B9—B8	98.53 (7)	B6—C1—B3—B8	-64.59 (8)
C1—B4—B9—B10	-2.12 (8)	B6—C1—B4—B3	105.68 (7)
C1—B4—B9—B12	60.92 (8)	B6—C1—B4—B5	-35.88 (6)
C1—B5—B6—B2	33.94 (6)	B6—C1—B4—B8	66.28 (8)
C1—B5—B6—B10	134.63 (7)	B6—C1—B4—B9	3.77 (9)
C1—B5—B6—B11	97.13 (7)	B6—C1—B5—B4	142.25 (7)
C1—B5—B9—B4	39.31 (6)	B6—C1—B5—B9	102.54 (7)
C1—B5—B9—B8	1.78 (9)	B6—C1—B5—B10	39.69 (6)
C1—B5—B9—B10	-99.06 (7)	B6—B2—B3—C1	-34.38 (6)
C1—B5—B9—B12	-61.70 (8)	B6—B2—B3—B4	0.29 (9)
C1—B5—B10—B6	-39.22 (6)	B6—B2—B3—C7	96.99 (7)
C1—B5—B10—B9	99.28 (7)	B6—B2—B3—B8	63.86 (8)
C1—B5—B10—B11	-1.82 (9)	B6—B2—C7—B3	-101.93 (7)
C1—B5—B10—B12	61.77 (8)	B6—B2—C7—B8	-65.55 (8)
C1—B6—B10—B5	39.35 (6)	B6—B2—C7—B11	40.53 (6)
C1—B6—B10—B9	2.29 (9)	B6—B2—C7—B12	4.36 (9)
C1—B6—B10—B11	-98.71 (7)	B6—B2—B11—C7	-133.60 (7)
C1—B6—B10—B12	-61.03 (8)	B6—B2—B11—B10	-37.61 (6)
C1—B6—B11—B2	-38.64 (6)	B6—B2—B11—B12	-100.71 (7)
C1—B6—B11—C7	0.75 (8)	B6—B5—B9—B4	101.17 (7)
C1—B6—B11—B10	99.35 (7)	B6—B5—B9—B8	63.64 (8)
C1—B6—B11—B12	61.94 (8)	B6—B5—B9—B10	-37.20 (6)
B2—C1—B3—B4	-141.34 (7)	B6—B5—B9—B12	0.16 (9)
B2—C1—B3—C7	-40.52 (6)	B6—B5—B10—B9	138.50 (7)

B2—C1—B3—B8	-101.57 (7)	B6—B5—B10—B11	37.39 (6)
B2—C1—B4—B3	37.50 (6)	B6—B5—B10—B12	100.98 (7)
B2—C1—B4—B5	-104.06 (7)	B6—B10—B11—B2	37.61 (6)
B2—C1—B4—B8	-1.90 (9)	B6—B10—B11—C7	98.32 (7)
B2—C1—B4—B9	-64.42 (8)	B6—B10—B11—B12	137.94 (7)
B2—C1—B5—B4	105.64 (7)	B6—B10—B12—C7	2.23 (9)
B2—C1—B5—B6	-36.62 (6)	B6—B10—B12—B8	63.62 (9)
B2—C1—B5—B9	65.92 (8)	B6—B10—B12—B9	100.97 (7)
B2—C1—B5—B10	3.07 (9)	B6—B10—B12—B11	-37.49 (6)
B2—C1—B6—B5	141.43 (7)	B6—B11—B12—C7	-96.11 (7)
B2—C1—B6—B10	101.75 (7)	B6—B11—B12—B8	-63.51 (8)
B2—C1—B6—B11	39.27 (6)	B6—B11—B12—B9	0.08 (9)
B2—B3—B4—C1	-34.14 (6)	B6—B11—B12—B10	37.57 (6)
B2—B3—B4—B5	-0.11 (9)	C7—B2—B3—C1	-131.37 (7)
B2—B3—B4—B8	100.68 (7)	C7—B2—B3—B4	-96.70 (7)
B2—B3—B4—B9	63.09 (8)	C7—B2—B3—B8	-33.13 (6)
B2—B3—C7—B8	-142.78 (7)	C7—B2—B6—C1	94.81 (7)
B2—B3—C7—B11	-36.68 (7)	C7—B2—B6—B5	60.59 (8)
B2—B3—C7—B12	-106.43 (7)	C7—B2—B6—B10	-2.65 (8)
B2—B3—B8—B4	-101.16 (7)	C7—B2—B6—B11	-40.18 (6)
B2—B3—B8—C7	32.64 (6)	C7—B2—B11—B6	133.60 (7)
B2—B3—B8—B9	-63.59 (8)	C7—B2—B11—B10	95.98 (7)
B2—B3—B8—B12	-0.40 (9)	C7—B2—B11—B12	32.89 (6)
B2—B6—B10—B5	100.62 (7)	C7—B3—B4—C1	-94.86 (7)
B2—B6—B10—B9	63.57 (8)	C7—B3—B4—B5	-60.82 (8)
B2—B6—B10—B11	-37.43 (6)	C7—B3—B4—B8	39.97 (6)
B2—B6—B10—B12	0.24 (9)	C7—B3—B4—B9	2.38 (8)
B2—B6—B11—C7	39.39 (6)	C7—B3—B8—B4	-133.80 (7)
B2—B6—B11—B10	137.99 (7)	C7—B3—B8—B9	-96.23 (7)
B2—B6—B11—B12	100.58 (7)	C7—B3—B8—B12	-33.04 (6)
B2—C7—B8—B3	-36.90 (7)	C7—B8—B9—B4	-98.46 (7)
B2—C7—B8—B4	3.29 (9)	C7—B8—B9—B5	-60.75 (8)
B2—C7—B8—B9	65.54 (8)	C7—B8—B9—B10	2.43 (9)
B2—C7—B8—B12	105.65 (7)	C7—B8—B9—B12	39.52 (6)
B2—C7—B11—B6	-40.36 (6)	C7—B8—B12—B9	-133.82 (7)
B2—C7—B11—B10	-102.59 (7)	C7—B8—B12—B10	-96.25 (7)
B2—C7—B11—B12	-142.73 (7)	C7—B8—B12—B11	-32.62 (6)
B2—C7—B12—B8	-107.13 (7)	C7—B11—B12—B8	32.60 (6)
B2—C7—B12—B9	-66.93 (9)	C7—B11—B12—B9	96.20 (7)
B2—C7—B12—B10	-4.21 (9)	C7—B11—B12—B10	133.68 (7)
B2—C7—B12—B11	36.14 (7)	B8—B3—B4—C1	-134.83 (7)
B2—B11—B12—C7	-32.68 (6)	B8—B3—B4—B5	-100.79 (7)
B2—B11—B12—B8	-0.09 (9)	B8—B3—B4—B9	-37.59 (6)
B2—B11—B12—B9	63.51 (8)	B8—B3—C7—B2	142.78 (7)
B2—B11—B12—B10	101.00 (7)	B8—B3—C7—B11	106.10 (8)
B3—C1—B2—B6	141.42 (7)	B8—B3—C7—B12	36.35 (7)
B3—C1—B2—C7	40.66 (6)	B8—B4—B5—C1	-96.92 (7)
B3—C1—B2—B11	101.82 (7)	B8—B4—B5—B6	-63.33 (8)

B3—C1—B4—B5	-141.56 (7)	B8—B4—B5—B9	37.72 (6)
B3—C1—B4—B8	-39.40 (6)	B8—B4—B5—B10	0.24 (9)
B3—C1—B4—B9	-101.91 (7)	B8—B4—B9—B5	-137.81 (7)
B3—C1—B5—B4	36.45 (6)	B8—B4—B9—B10	-100.65 (7)
B3—C1—B5—B6	-105.80 (7)	B8—B4—B9—B12	-37.61 (7)
B3—C1—B5—B9	-3.26 (8)	B8—C7—B11—B2	106.91 (7)
B3—C1—B5—B10	-66.11 (8)	B8—C7—B11—B6	66.55 (9)
B3—C1—B6—B2	-37.46 (7)	B8—C7—B11—B10	4.32 (9)
B3—C1—B6—B5	103.98 (7)	B8—C7—B11—B12	-35.82 (7)
B3—C1—B6—B10	64.29 (8)	B8—C7—B12—B9	40.20 (6)
B3—C1—B6—B11	1.82 (9)	B8—C7—B12—B10	102.92 (7)
B3—B2—B6—C1	33.87 (6)	B8—C7—B12—B11	143.27 (7)
B3—B2—B6—B5	-0.35 (9)	B8—B9—B10—B5	-100.51 (7)
B3—B2—B6—B10	-63.59 (8)	B8—B9—B10—B6	-63.30 (8)
B3—B2—B6—B11	-101.12 (7)	B8—B9—B10—B11	0.02 (9)
B3—B2—C7—B8	36.39 (7)	B8—B9—B10—B12	37.33 (6)
B3—B2—C7—B11	142.47 (7)	B8—B9—B12—C7	-39.58 (6)
B3—B2—C7—B12	106.30 (8)	B8—B9—B12—B10	-138.33 (7)
B3—B2—B11—B6	100.55 (7)	B8—B9—B12—B11	-101.04 (7)
B3—B2—B11—C7	-33.05 (6)	B9—B4—B5—C1	-134.64 (7)
B3—B2—B11—B10	62.94 (8)	B9—B4—B5—B6	-101.05 (7)
B3—B2—B11—B12	-0.16 (9)	B9—B4—B5—B10	-37.48 (6)
B3—B4—B5—C1	-33.70 (6)	B9—B4—B8—B3	138.00 (7)
B3—B4—B5—B6	-0.11 (9)	B9—B4—B8—C7	98.63 (7)
B3—B4—B5—B9	100.94 (7)	B9—B4—B8—B12	37.44 (7)
B3—B4—B5—B10	63.46 (8)	B9—B5—B6—C1	-97.24 (7)
B3—B4—B8—C7	-39.36 (6)	B9—B5—B6—B2	-63.30 (8)
B3—B4—B8—B9	-138.00 (7)	B9—B5—B6—B10	37.39 (6)
B3—B4—B8—B12	-100.56 (7)	B9—B5—B6—B11	-0.11 (8)
B3—B4—B9—B5	-100.32 (7)	B9—B5—B10—B6	-138.50 (7)
B3—B4—B9—B8	37.49 (6)	B9—B5—B10—B11	-101.10 (7)
B3—B4—B9—B10	-63.16 (8)	B9—B5—B10—B12	-37.52 (7)
B3—B4—B9—B12	-0.12 (9)	B9—B8—B12—C7	133.82 (7)
B3—C7—B8—B4	40.19 (6)	B9—B8—B12—B10	37.57 (7)
B3—C7—B8—B9	102.44 (7)	B9—B8—B12—B11	101.21 (7)
B3—C7—B8—B12	142.55 (7)	B9—B10—B11—B2	-63.17 (8)
B3—C7—B11—B2	37.16 (7)	B9—B10—B11—B6	-100.78 (7)
B3—C7—B11—B6	-3.20 (9)	B9—B10—B11—C7	-2.46 (8)
B3—C7—B11—B10	-65.42 (9)	B9—B10—B11—B12	37.16 (6)
B3—C7—B11—B12	-105.57 (8)	B9—B10—B12—C7	-98.74 (7)
B3—C7—B12—B8	-36.26 (7)	B9—B10—B12—B8	-37.35 (7)
B3—C7—B12—B9	3.94 (9)	B9—B10—B12—B11	-138.46 (7)
B3—C7—B12—B10	66.66 (9)	B10—B5—B6—C1	-134.63 (7)
B3—C7—B12—B11	107.01 (7)	B10—B5—B6—B2	-100.69 (7)
B3—B8—B9—B4	-37.54 (6)	B10—B5—B6—B11	-37.50 (6)
B3—B8—B9—B5	0.17 (9)	B10—B5—B9—B4	138.38 (7)
B3—B8—B9—B10	63.35 (8)	B10—B5—B9—B8	100.84 (7)
B3—B8—B9—B12	100.44 (7)	B10—B5—B9—B12	37.36 (6)

B3—B8—B12—C7	32.92 (6)	B10—B6—B11—B2	-137.99 (7)
B3—B8—B12—B9	-100.91 (7)	B10—B6—B11—C7	-98.59 (7)
B3—B8—B12—B10	-63.34 (9)	B10—B6—B11—B12	-37.41 (6)
B3—B8—B12—B11	0.30 (9)	B10—B9—B12—C7	98.75 (7)
B4—C1—B2—B3	-36.99 (6)	B10—B9—B12—B8	138.33 (7)
B4—C1—B2—B6	104.43 (7)	B10—B9—B12—B11	37.29 (6)
B4—C1—B2—C7	3.67 (8)	B10—B11—B12—C7	-133.68 (7)
B4—C1—B2—B11	64.83 (8)	B10—B11—B12—B8	-101.09 (7)
B4—C1—B3—B2	141.34 (7)	B10—B11—B12—B9	-37.49 (6)
B4—C1—B3—C7	100.83 (7)	B11—B2—B3—C1	-97.89 (7)
B4—C1—B3—B8	39.78 (6)	B11—B2—B3—B4	-63.22 (8)
B4—C1—B5—B6	-142.25 (7)	B11—B2—B3—C7	33.48 (6)
B4—C1—B5—B9	-39.71 (6)	B11—B2—B3—B8	0.35 (9)
B4—C1—B5—B10	-102.57 (7)	B11—B2—B6—C1	134.99 (7)
B4—C1—B6—B2	-105.58 (7)	B11—B2—B6—B5	100.77 (7)
B4—C1—B6—B5	35.85 (6)	B11—B2—B6—B10	37.53 (6)
B4—C1—B6—B10	-3.83 (9)	B11—B2—C7—B3	-142.47 (7)
B4—C1—B6—B11	-66.31 (8)	B11—B2—C7—B8	-106.08 (7)
B4—B3—C7—B2	102.40 (7)	B11—B2—C7—B12	-36.17 (7)
B4—B3—C7—B8	-40.38 (6)	B11—B6—B10—B5	138.05 (7)
B4—B3—C7—B11	65.72 (8)	B11—B6—B10—B9	101.00 (7)
B4—B3—C7—B12	-4.03 (9)	B11—B6—B10—B12	37.67 (6)
B4—B3—B8—C7	133.80 (7)	B11—C7—B8—B3	-106.76 (7)
B4—B3—B8—B9	37.58 (6)	B11—C7—B8—B4	-66.57 (9)
B4—B3—B8—B12	100.77 (7)	B11—C7—B8—B9	-4.32 (9)
B4—B5—B6—C1	-33.65 (6)	B11—C7—B8—B12	35.79 (7)
B4—B5—B6—B2	0.28 (9)	B11—C7—B12—B8	-143.27 (7)
B4—B5—B6—B10	100.97 (7)	B11—C7—B12—B9	-103.06 (7)
B4—B5—B6—B11	63.47 (8)	B11—C7—B12—B10	-40.35 (6)
B4—B5—B9—B8	-37.54 (6)	B11—B10—B12—C7	39.72 (6)
B4—B5—B9—B10	-138.38 (7)	B11—B10—B12—B8	101.11 (7)
B4—B5—B9—B12	-101.01 (7)	B11—B10—B12—B9	138.46 (7)
B4—B5—B10—B6	-101.21 (7)	B12—C7—B8—B3	-142.55 (7)
B4—B5—B10—B9	37.29 (6)	B12—C7—B8—B4	-102.36 (7)
B4—B5—B10—B11	-63.81 (8)	B12—C7—B8—B9	-40.10 (6)
B4—B5—B10—B12	-0.22 (9)	B12—C7—B11—B2	142.73 (7)
B4—B8—B9—B5	37.71 (6)	B12—C7—B11—B6	102.37 (7)
B4—B8—B9—B10	100.90 (7)	B12—C7—B11—B10	40.14 (6)
B4—B8—B9—B12	137.98 (7)	B12—B8—B9—B4	-137.98 (7)
B4—B8—B12—C7	96.27 (7)	B12—B8—B9—B5	-100.27 (8)
B4—B8—B12—B9	-37.55 (6)	B12—B8—B9—B10	-37.08 (6)
B4—B8—B12—B10	0.02 (9)	B12—B9—B10—B5	-137.84 (7)
B4—B8—B12—B11	63.66 (9)	B12—B9—B10—B6	-100.64 (7)
B4—B9—B10—B5	-37.31 (6)	B12—B9—B10—B11	-37.31 (6)
B4—B9—B10—B6	-0.11 (9)	B12—B10—B11—B2	-100.33 (7)

B4—B9—B10—B11	63.22 (8)	B12—B10—B11—B6	-137.94 (7)
B4—B9—B10—B12	100.53 (7)	B12—B10—B11—C7	-39.62 (6)

Symmetry code: (i) $-x+1/2, -y+1/2, -z+1$.