



Heriot-Watt University  
Research Gateway

## Crystal structure of a second polymorph of 2-cyclopentadienyl-1,7-dicarba-2-cobalta-closo-dodecaborane(11)

### Citation for published version:

Man, W, Rosair, GM & Welch, AJ 2015, 'Crystal structure of a second polymorph of 2-cyclopentadienyl-1,7-dicarba-2-cobalta-closo-dodecaborane(11)', *Acta Crystallographica Section E: Crystallographic Communications*, vol. 71, no. 7, pp. m141-m142. <https://doi.org/10.1107/S2056989015011445>

### Digital Object Identifier (DOI):

[10.1107/S2056989015011445](https://doi.org/10.1107/S2056989015011445)

### Link:

[Link to publication record in Heriot-Watt Research Portal](#)

### Document Version:

Publisher's PDF, also known as Version of record

### Published In:

Acta Crystallographica Section E: Crystallographic Communications

### Publisher Rights Statement:

This open-access article is distributed under the terms of the Creative Commons Attribution Licence <http://creativecommons.org/licenses/by/2.0/uk/legalcode>, which permits unrestricted use, distribution, and reproduction in any medium, provided the original authors and source are cited.

### General rights

Copyright for the publications made accessible via Heriot-Watt Research Portal is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

### Take down policy

Heriot-Watt University has made every reasonable effort to ensure that the content in Heriot-Watt Research Portal complies with UK legislation. If you believe that the public display of this file breaches copyright please contact [open.access@hw.ac.uk](mailto:open.access@hw.ac.uk) providing details, and we will remove access to the work immediately and investigate your claim.



## Crystal structure of a second polymorph of 2-cyclopentadienyl-1,7-dicarba-2-cobalta-*closo*-dodecaborane(11)

Wing Y. Man, Georgina M. Rosair and Alan J. Welch

*Acta Cryst.* (2015). E71, m141–m142



IUCr Journals

CRYSTALLOGRAPHY JOURNALS ONLINE

This open-access article is distributed under the terms of the Creative Commons Attribution Licence <http://creativecommons.org/licenses/by/2.0/uk/legalcode>, which permits unrestricted use, distribution, and reproduction in any medium, provided the original authors and source are cited.





# Crystal structure of a second polymorph of 2-cyclopentadienyl-1,7-dicarba-2-cobalta-*closo*-dodecaborane(11)

Wing Y. Man, Georgina M. Rosair and Alan J. Welch\*

Institute of Chemical Sciences, School of Engineering & Physical Sciences, Heriot-Watt University, Edinburgh EH14 4AS, Scotland. \*Correspondence e-mail: a.j.welch@hw.ac.uk

Received 5 June 2015; accepted 12 June 2015

Edited by T. J. Prior, University of Hull, England


A new polymorph of the title compound 2-( $\eta$ -C<sub>5</sub>H<sub>5</sub>)-2,1,7-*closo*-CoC<sub>2</sub>B<sub>9</sub>H<sub>11</sub>, [Co(C<sub>5</sub>H<sub>5</sub>)(C<sub>2</sub>H<sub>11</sub>B<sub>9</sub>)], in the space group *P*2<sub>1</sub>/*n* has been characterized, including the unambiguous location of both cage C atoms. The precision of this study is an order of magnitude greater than that of the first polymorph [*C*2/*c*; Lopez *et al.* (2010). *Collect. Czech. Chem. Commun.* **75**, 853–869].

**Keywords:** metallocarborane; polymorph; crystal structure.

**CCDC reference:** 1406489

## 1. Related literature

For the structure of the *C*2/*c* polymorph, see: Lopez *et al.* (2010). For structures of other ( $\eta$ -C<sub>5</sub>H<sub>5</sub>)CoC<sub>2</sub>B<sub>9</sub>H<sub>11</sub> isomers, see: Smith & Welch (1986), Lopez *et al.* (2010) and Man *et al.* (2014). Methods used to identify cage C atoms: *Vertex-to-Centroid Distance* (McAnaw *et al.*, 2013) and *Boron-Hydrogen Distance* (McAnaw *et al.*, 2014).



## 2. Experimental

### 2.1. Crystal data

[Co(C<sub>5</sub>H<sub>5</sub>)(C<sub>2</sub>H<sub>11</sub>B<sub>9</sub>)]  
*M*<sub>r</sub> = 256.42  
 Monoclinic, *P*2<sub>1</sub>/*n*  
*a* = 12.4903 (11) Å  
*b* = 8.7207 (7) Å  
*c* = 12.7392 (12) Å  
 $\beta$  = 116.123 (4)°

*V* = 1245.86 (19) Å<sup>3</sup>  
*Z* = 4  
 Mo *K* $\alpha$  radiation  
 $\mu$  = 1.34 mm<sup>-1</sup>  
*T* = 100 K  
 0.46 × 0.44 × 0.16 mm

### 2.2. Data collection

Bruker APEXII CCD  
 diffractometer  
 Absorption correction: multi-scan  
 (*SADABS*; Bruker, 2008)  
*T*<sub>min</sub> = 0.649, *T*<sub>max</sub> = 0.747

37238 measured reflections  
 5019 independent reflections  
 4268 reflections with *I* > 2 $\sigma$ (*I*)  
*R*<sub>int</sub> = 0.033

### 2.3. Refinement

*R*[*F*<sup>2</sup> > 2 $\sigma$ (*F*<sup>2</sup>)] = 0.022  
*wR*(*F*<sup>2</sup>) = 0.058  
*S* = 1.03  
 5019 reflections

218 parameters  
 All H-atom parameters refined  
 $\Delta\rho_{\max}$  = 0.41 e Å<sup>-3</sup>  
 $\Delta\rho_{\min}$  = -0.41 e Å<sup>-3</sup>

**Table 1**  
Selected bond lengths (Å).

Co1—Co2	2.0556 (8)	Co2—C21	2.0574 (9)
Co2—B3	2.0471 (9)	Co2—C22	2.0536 (9)
Co2—B6	2.0762 (9)	Co2—C23	2.0759 (9)
Co2—C7	2.0539 (8)	Co2—C24	2.0823 (9)
Co2—B11	2.0746 (10)	Co2—C25	2.0548 (9)

Data collection: *APEX2* (Bruker, 2011); cell refinement: *SAINT* (Bruker, 2011); data reduction: *SAINT*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL2014* (Sheldrick, 2015); molecular graphics: *OLEX2* (Dolomanov *et al.*, 2009); software used to prepare material for publication: *OLEX2*.

## Acknowledgements

The authors thank the EPSRC for support of WYM (grant EP/I031545/1).

Supporting information for this paper is available from the IUCr electronic archives (Reference: PJ2020).

## References

- Bruker (2008). *SADABS*. Bruker AXS Inc., Madison, Wisconsin, USA.  
 Bruker (2011). *APEX2* and *SAINT*. Bruker AXS Inc., Madison, Wisconsin, USA.  
 Dolomanov, O. V., Bourhis, L. J., Gildea, R. J., Howard, J. A. K. & Puschmann, H. (2009). *J. Appl. Cryst.* **42**, 339–341.  
 Lopez, M. E., Ellis, D., Murray, P. R., Rosair, G. M., Welch, A. J. & Yellowlees, L. J. (2010). *Collect. Czech. Chem. Commun.* **75**, 853–869.  
 Man, W. Y., Zlatogorsky, S., Tricas, H., Ellis, D., Rosair, G. M. & Welch, A. J. (2014). *Angew. Chem. Int. Ed.* **53**, 12222–12225.  
 McAnaw, A., Lopez, M. E., Ellis, D., Rosair, G. M. & Welch, A. J. (2014). *Dalton Trans.* **43**, 5095–5105.

McAnaw, A., Scott, G., Elrick, L., Rosair, G. M. & Welch, A. J. (2013). *Dalton Trans.* **42**, 645–664.  
Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.

Sheldrick, G. M. (2015). *Acta Cryst.* **C71**, 3–8.  
Smith, D. E. & Welch, A. J. (1986). *Organometallics*, **5**, 760–766.

## supporting information

*Acta Cryst.* (2015). E71, m141–m142 [doi:10.1107/S2056989015011445]

## Crystal structure of a second polymorph of 2-cyclopentadienyl-1,7-dicarba-2-cobalta-*closo*-dodecaborane(11)


Wing Y. Man, Georgina M. Rosair and Alan J. Welch

### S1. Synthesis and crystallization

The compound was prepared as previously reported (Lopez *et al.* 2010) and purity established by NMR spectroscopy:  $^1\text{H}$  NMR ( $\text{CDCl}_3$ ); 5.64 (s, 5 H,  $\text{C}_5\text{H}_5$ ), 2.65 (br s, 2 H,  $\text{CH}_{\text{cage}}$ ).  $^{11}\text{B}\{^1\text{H}\}$  NMR ( $\text{CDCl}_3$ ): 2.9 (1 B), -2.4 (2 B), -9.0 (1 B), -10.8 (1 B), -11.8 (2 B), -17.0 (2 B). Single crystals were grown by diffusion of a solution of the compound in  $\text{CH}_2\text{Cl}_2$  and petroleum ether at 4 °C.


### S2. Refinement

Crystal data, data collection and structure refinement details are summarized in Table 1. The carbon atoms in the metallacborane were located using the Vertex-to-Centroid Distance (VCD) (McAnaw *et al.*, 2013) and Boron-Hydrogen Distance (BHD) (McAnaw *et al.*, 2014) methods that we have developed for C/B discrimination. In this case the methods afford unequivocal assignment of the carbon location.



**Figure 1**

Perspective view of the title compound with atom numbering and displacement ellipsoids drawn at the 50% probability level except for H atoms.

**Figure 2**

Packing diagram of the title compound.

### 2-Cyclopentadienyl-1,7-dicarba-2-cobalta-closo-dodecaborane(11)

#### Crystal data

[Co(C<sub>5</sub>H<sub>5</sub>)(C<sub>2</sub>H<sub>11</sub>B<sub>9</sub>)]

$M_r = 256.42$

Monoclinic,  $P2_1/n$

$a = 12.4903$  (11) Å

$b = 8.7207$  (7) Å

$c = 12.7392$  (12) Å

$\beta = 116.123$  (4)°

$V = 1245.86$  (19) Å<sup>3</sup>

$Z = 4$

$F(000) = 520$

$D_x = 1.367$  Mg m<sup>-3</sup>

Mo  $K\alpha$  radiation,  $\lambda = 0.71073$  Å

Cell parameters from 9899 reflections

$\theta = 2.9$ – $33.8$ °

$\mu = 1.34$  mm<sup>-1</sup>

$T = 100$  K

BLOCK, yellow

$0.46 \times 0.44 \times 0.16$  mm

#### Data collection

Bruker APEXII CCD

diffractometer

Graphite monochromator

$\varphi$  and  $\omega$  scans

Absorption correction: multi-scan

(SADABS; Bruker, 2008)

$T_{\min} = 0.649$ ,  $T_{\max} = 0.747$

37238 measured reflections

5019 independent reflections

4268 reflections with  $I > 2\sigma(I)$

$R_{\text{int}} = 0.033$

$\theta_{\max} = 33.9$ °,  $\theta_{\min} = 2.9$ °

$h = -19 \rightarrow 19$   
 $k = -13 \rightarrow 13$

$l = -19 \rightarrow 19$

*Refinement*

Refinement on  $F^2$   
 Least-squares matrix: full  
 $R[F^2 > 2\sigma(F^2)] = 0.022$   
 $wR(F^2) = 0.058$   
 $S = 1.02$   
 5019 reflections  
 218 parameters  
 0 restraints

Primary atom site location: iterative  
 Hydrogen site location: difference Fourier map  
 All H-atom parameters refined  
 $w = 1/[\sigma^2(F_o^2) + (0.0318P)^2 + 0.1768P]$   
 where  $P = (F_o^2 + 2F_c^2)/3$   
 $(\Delta/\sigma)_{\max} < 0.001$   
 $\Delta\rho_{\max} = 0.41 \text{ e } \text{\AA}^{-3}$   
 $\Delta\rho_{\min} = -0.41 \text{ e } \text{\AA}^{-3}$

*Special details*

**Geometry.** All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

*Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{\AA}^2$ )*

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
C1	0.18879 (7)	0.25685 (9)	0.41663 (7)	0.01285 (13)
H1	0.1431 (10)	0.2529 (14)	0.3377 (10)	0.017 (3)*
Co2	0.23995 (2)	0.47776 (2)	0.47249 (2)	0.01116 (4)
B3	0.13135 (8)	0.33118 (11)	0.50692 (8)	0.01316 (15)
H3	0.0422 (11)	0.3767 (15)	0.4780 (11)	0.024 (3)*
B4	0.15056 (9)	0.12828 (11)	0.49708 (8)	0.01494 (16)
H4	0.0737 (11)	0.0584 (14)	0.4513 (11)	0.022 (3)*
B5	0.28116 (9)	0.10264 (11)	0.47514 (8)	0.01595 (17)
H5	0.2862 (13)	0.0131 (15)	0.4169 (14)	0.027 (4)*
B6	0.33933 (9)	0.28936 (11)	0.46770 (8)	0.01428 (16)
H6	0.3824 (11)	0.3037 (15)	0.4101 (11)	0.024 (3)*
C7	0.25585 (7)	0.39021 (10)	0.62837 (7)	0.01336 (14)
H7	0.2472 (12)	0.4668 (14)	0.6773 (12)	0.021 (3)*
B8	0.19485 (9)	0.21634 (11)	0.63631 (8)	0.01462 (16)
H8	0.1486 (11)	0.2066 (15)	0.6925 (11)	0.025 (3)*
B9	0.28960 (9)	0.07601 (12)	0.61704 (8)	0.01597 (16)
H9	0.3044 (13)	-0.0368 (16)	0.6573 (13)	0.029 (4)*
B10	0.40638 (9)	0.17746 (12)	0.59941 (9)	0.01720 (17)
H10	0.4968 (12)	0.1298 (16)	0.6298 (11)	0.029 (3)*
B11	0.38440 (8)	0.37968 (12)	0.61129 (8)	0.01579 (16)
H11	0.4607 (12)	0.4570 (15)	0.6573 (13)	0.024 (3)*
B12	0.35215 (9)	0.24439 (12)	0.70026 (8)	0.01705 (17)
H12	0.4026 (12)	0.2480 (16)	0.7955 (12)	0.033 (4)*
C21	0.31179 (9)	0.63450 (11)	0.40069 (10)	0.02336 (19)
H21	0.3802 (13)	0.6185 (17)	0.3948 (13)	0.036 (4)*
C22	0.30148 (9)	0.69955 (11)	0.49850 (10)	0.02242 (18)
H22	0.3669 (12)	0.7371 (17)	0.5696 (13)	0.035 (4)*
C23	0.17796 (9)	0.69813 (10)	0.47434 (9)	0.02153 (18)



H23	0.1474 (12)	0.7323 (17)	0.5280 (13)	0.036 (4)*
C24	0.11213 (9)	0.63137 (11)	0.36254 (9)	0.02209 (18)
H24	0.0275 (12)	0.6137 (16)	0.3250 (12)	0.032 (4)*
C25	0.19471 (10)	0.59072 (11)	0.31712 (9)	0.02345 (19)
H25	0.1756 (13)	0.5399 (16)	0.2449 (14)	0.031 (4)*

Atomic displacement parameters ( $\text{\AA}^2$ )

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
C1	0.0165 (3)	0.0112 (3)	0.0104 (3)	-0.0015 (3)	0.0055 (3)	-0.0007 (2)
Co2	0.01304 (5)	0.00859 (5)	0.01386 (5)	-0.00067 (3)	0.00776 (4)	-0.00026 (4)
B3	0.0129 (4)	0.0129 (4)	0.0144 (4)	-0.0013 (3)	0.0067 (3)	-0.0001 (3)
B4	0.0190 (4)	0.0118 (4)	0.0148 (4)	-0.0026 (3)	0.0081 (3)	0.0003 (3)
B5	0.0236 (4)	0.0117 (4)	0.0161 (4)	0.0014 (3)	0.0120 (3)	0.0010 (3)
B6	0.0173 (4)	0.0127 (4)	0.0164 (4)	0.0015 (3)	0.0107 (3)	0.0005 (3)
C7	0.0151 (3)	0.0136 (3)	0.0125 (3)	-0.0008 (3)	0.0071 (3)	-0.0025 (3)
B8	0.0183 (4)	0.0142 (4)	0.0139 (4)	0.0001 (3)	0.0093 (3)	0.0010 (3)
B9	0.0207 (4)	0.0142 (4)	0.0148 (4)	0.0027 (3)	0.0095 (3)	0.0031 (3)
B10	0.0164 (4)	0.0178 (4)	0.0185 (4)	0.0038 (3)	0.0086 (3)	0.0028 (3)
B11	0.0135 (4)	0.0177 (4)	0.0161 (4)	-0.0010 (3)	0.0065 (3)	-0.0013 (3)
B12	0.0172 (4)	0.0202 (4)	0.0125 (4)	0.0012 (3)	0.0054 (3)	0.0005 (3)
C21	0.0284 (5)	0.0134 (4)	0.0401 (5)	0.0008 (3)	0.0258 (4)	0.0056 (4)
C22	0.0237 (4)	0.0110 (4)	0.0331 (5)	-0.0036 (3)	0.0131 (4)	-0.0013 (3)
C23	0.0289 (5)	0.0104 (4)	0.0340 (5)	0.0031 (3)	0.0217 (4)	0.0020 (3)
C24	0.0216 (4)	0.0155 (4)	0.0287 (5)	0.0037 (3)	0.0107 (4)	0.0087 (3)
C25	0.0375 (5)	0.0159 (4)	0.0218 (4)	0.0023 (4)	0.0175 (4)	0.0064 (3)

Geometric parameters ( $\text{\AA}$ ,  $^\circ$ )

C1—H1	0.912 (12)	B6—B10	1.7976 (14)
C1—Co2	2.0556 (8)	B6—B11	1.8376 (13)
C1—B3	1.7276 (12)	C7—H7	0.952 (14)
C1—B4	1.7224 (12)	C7—B8	1.7198 (13)
C1—B5	1.7141 (13)	C7—B11	1.7150 (13)
C1—B6	1.7210 (13)	C7—B12	1.7125 (13)
Co2—B3	2.0471 (9)	B8—H8	1.104 (13)
Co2—B6	2.0762 (9)	B8—B9	1.7928 (14)
Co2—C7	2.0539 (8)	B8—B12	1.7815 (14)
Co2—B11	2.0746 (10)	B9—H9	1.087 (14)
Co2—C21	2.0574 (9)	B9—B10	1.8025 (14)
Co2—C22	2.0536 (9)	B9—B12	1.7780 (15)
Co2—C23	2.0759 (9)	B10—H10	1.101 (13)
Co2—C24	2.0823 (9)	B10—B11	1.8014 (14)
Co2—C25	2.0548 (9)	B10—B12	1.7935 (14)
B3—H3	1.082 (12)	B11—H11	1.102 (13)
B3—B4	1.7974 (13)	B11—B12	1.8002 (14)
B3—C7	1.7199 (12)	B12—H12	1.094 (14)
B3—B8	1.7882 (13)	C21—H21	0.901 (14)

B4—H4	1.068 (13)	C21—C22	1.4256 (15)
B4—B5	1.7863 (14)	C21—C25	1.4306 (15)
B4—B8	1.7825 (13)	C22—H22	0.971 (15)
B4—B9	1.7950 (14)	C22—C23	1.4343 (14)
B5—H5	1.098 (14)	C23—H23	0.966 (15)
B5—B6	1.8025 (14)	C23—C24	1.4185 (15)
B5—B9	1.7790 (14)	C24—H24	0.961 (14)
B5—B10	1.7882 (14)	C24—C25	1.4319 (14)
B6—H6	1.091 (13)	C25—H25	0.952 (15)
Co2—C1—H1	111.4 (8)	Co2—C7—H7	112.4 (8)
B3—C1—H1	120.4 (7)	B3—C7—Co2	65.00 (4)
B3—C1—Co2	64.84 (4)	B3—C7—H7	118.7 (8)
B4—C1—H1	115.3 (8)	B8—C7—Co2	121.86 (5)
B4—C1—Co2	121.97 (5)	B8—C7—B3	62.65 (5)
B4—C1—B3	62.79 (5)	B8—C7—H7	113.5 (8)
B5—C1—H1	115.1 (8)	B11—C7—Co2	66.09 (4)
B5—C1—Co2	122.52 (6)	B11—C7—B3	113.33 (6)
B5—C1—B3	113.71 (6)	B11—C7—H7	120.2 (8)
B5—C1—B4	62.64 (5)	B11—C7—B8	115.09 (7)
B5—C1—B6	63.30 (6)	B12—C7—Co2	122.64 (5)
B6—C1—H1	118.2 (7)	B12—C7—B3	113.75 (7)
B6—C1—Co2	66.01 (4)	B12—C7—H7	115.3 (8)
B6—C1—B3	113.04 (6)	B12—C7—B8	62.54 (6)
B6—C1—B4	115.17 (6)	B12—C7—B11	63.37 (6)
C1—Co2—B6	49.23 (4)	B3—B8—H8	119.6 (7)
C1—Co2—B11	85.97 (4)	B3—B8—B9	107.92 (6)
C1—Co2—C21	126.78 (4)	B4—B8—B3	60.44 (5)
C1—Co2—C23	144.18 (4)	B4—B8—H8	126.2 (7)
C1—Co2—C24	109.92 (4)	B4—B8—B9	60.27 (5)
B3—Co2—C1	49.81 (3)	C7—B8—B3	58.68 (5)
B3—Co2—B6	88.47 (4)	C7—B8—B4	105.83 (6)
B3—Co2—C7	49.59 (3)	C7—B8—H8	118.5 (7)
B3—Co2—B11	88.25 (4)	C7—B8—B9	104.92 (7)
B3—Co2—C21	165.93 (4)	C7—B8—B12	58.53 (5)
B3—Co2—C22	142.17 (4)	B9—B8—H8	127.0 (7)
B3—Co2—C23	106.86 (4)	B12—B8—B3	107.27 (7)
B3—Co2—C24	99.31 (4)	B12—B8—B4	108.11 (7)
B3—Co2—C25	125.36 (4)	B12—B8—H8	120.0 (7)
B6—Co2—C24	141.31 (4)	B12—B8—B9	59.66 (6)
C7—Co2—C1	82.49 (3)	B4—B9—H9	122.1 (8)
C7—Co2—B6	85.97 (3)	B4—B9—B10	107.58 (7)
C7—Co2—B11	49.09 (4)	B5—B9—B4	59.97 (5)
C7—Co2—C21	143.26 (4)	B5—B9—B8	107.62 (7)
C7—Co2—C23	102.18 (4)	B5—B9—H9	121.3 (8)
C7—Co2—C24	127.49 (4)	B5—B9—B10	59.90 (6)
C7—Co2—C25	167.97 (4)	B8—B9—B4	59.58 (5)
B11—Co2—B6	52.55 (4)	B8—B9—H9	122.6 (8)

B11—Co2—C23	124.11 (4)	B8—B9—B10	107.53 (7)
B11—Co2—C24	163.74 (4)	B10—B9—H9	121.6 (7)
C21—Co2—B6	97.43 (4)	B12—B9—B4	107.71 (7)
C21—Co2—B11	105.49 (4)	B12—B9—B5	108.18 (7)
C21—Co2—C23	68.15 (4)	B12—B9—B8	59.86 (6)
C21—Co2—C24	68.21 (4)	B12—B9—H9	121.8 (8)
C22—Co2—C1	167.36 (4)	B12—B9—B10	60.12 (6)
C22—Co2—B6	124.33 (4)	B5—B10—B6	60.35 (5)
C22—Co2—C7	108.91 (4)	B5—B10—B9	59.40 (5)
C22—Co2—B11	97.33 (4)	B5—B10—H10	122.4 (7)
C22—Co2—C21	40.58 (4)	B5—B10—B11	108.99 (7)
C22—Co2—C23	40.64 (4)	B5—B10—B12	107.09 (7)
C22—Co2—C24	67.93 (4)	B6—B10—B9	108.22 (7)
C22—Co2—C25	68.20 (4)	B6—B10—H10	121.2 (7)
C23—Co2—B6	164.52 (4)	B6—B10—B11	61.40 (5)
C23—Co2—C24	39.89 (4)	B9—B10—H10	122.1 (7)
C25—Co2—C1	101.78 (4)	B11—B10—B9	107.96 (7)
C25—Co2—B6	105.39 (4)	B11—B10—H10	120.7 (7)
C25—Co2—B11	141.79 (4)	B12—B10—B6	108.92 (7)
C25—Co2—C21	40.72 (4)	B12—B10—B9	59.26 (6)
C25—Co2—C23	67.75 (4)	B12—B10—H10	121.5 (7)
C25—Co2—C24	40.49 (4)	B12—B10—B11	60.10 (6)
C1—B3—Co2	65.35 (4)	Co2—B11—H11	115.1 (7)
C1—B3—H3	125.2 (7)	B6—B11—Co2	63.77 (4)
C1—B3—B4	58.46 (5)	B6—B11—H11	127.3 (7)
C1—B3—B8	104.94 (6)	C7—B11—Co2	64.83 (4)
Co2—B3—H3	112.1 (7)	C7—B11—B6	104.81 (6)
B4—B3—Co2	118.58 (6)	C7—B11—B10	104.42 (7)
B4—B3—H3	119.1 (7)	C7—B11—H11	122.6 (7)
C7—B3—C1	103.60 (6)	C7—B11—B12	58.25 (5)
C7—B3—Co2	65.41 (4)	B10—B11—Co2	116.07 (6)
C7—B3—H3	125.7 (7)	B10—B11—B6	59.20 (5)
C7—B3—B4	105.18 (6)	B10—B11—H11	121.0 (7)
C7—B3—B8	58.67 (5)	B12—B11—Co2	117.07 (6)
B8—B3—Co2	118.71 (6)	B12—B11—B6	106.88 (7)
B8—B3—H3	119.5 (7)	B12—B11—B10	59.73 (6)
B8—B3—B4	59.62 (5)	B12—B11—H11	116.5 (7)
C1—B4—B3	58.75 (5)	C7—B12—B8	58.93 (5)
C1—B4—H4	117.7 (7)	C7—B12—B9	105.88 (7)
C1—B4—B5	58.45 (5)	C7—B12—B10	104.86 (7)
C1—B4—B8	105.41 (6)	C7—B12—B11	58.39 (5)
C1—B4—B9	104.72 (6)	C7—B12—H12	119.8 (7)
B3—B4—H4	119.0 (7)	B8—B12—B10	108.42 (7)
B5—B4—B3	107.06 (6)	B8—B12—B11	108.03 (7)
B5—B4—H4	120.4 (7)	B8—B12—H12	119.5 (7)
B5—B4—B9	59.57 (5)	B9—B12—B8	60.49 (5)
B8—B4—B3	59.93 (5)	B9—B12—B10	60.62 (6)
B8—B4—H4	126.8 (7)	B9—B12—B11	109.10 (7)

B8—B4—B5	107.75 (7)	B9—B12—H12	124.9 (8)
B8—B4—B9	60.15 (5)	B10—B12—B11	60.17 (6)
B9—B4—B3	107.43 (7)	B10—B12—H12	126.1 (7)
B9—B4—H4	128.3 (7)	B11—B12—H12	120.0 (7)
C1—B5—B4	58.91 (5)	Co2—C21—H21	123.4 (9)
C1—B5—H5	119.5 (8)	C22—C21—Co2	69.57 (5)
C1—B5—B6	58.54 (5)	C22—C21—H21	126.1 (9)
C1—B5—B9	105.77 (7)	C22—C21—C25	107.49 (9)
C1—B5—B10	104.93 (7)	C25—C21—Co2	69.55 (5)
B4—B5—H5	121.5 (8)	C25—C21—H21	126.3 (9)
B4—B5—B6	108.19 (6)	Co2—C22—H22	124.7 (9)
B4—B5—B10	108.59 (7)	C21—C22—Co2	69.85 (5)
B6—B5—H5	117.6 (8)	C21—C22—H22	125.9 (8)
B9—B5—B4	60.46 (5)	C21—C22—C23	108.15 (9)
B9—B5—H5	126.8 (8)	C23—C22—Co2	70.51 (5)
B9—B5—B6	109.05 (7)	C23—C22—H22	125.9 (8)
B9—B5—B10	60.70 (6)	Co2—C23—H23	124.0 (9)
B10—B5—H5	124.7 (8)	C22—C23—Co2	68.84 (5)
B10—B5—B6	60.08 (5)	C22—C23—H23	124.7 (8)
C1—B6—Co2	64.76 (4)	C24—C23—Co2	70.30 (5)
C1—B6—B5	58.16 (5)	C24—C23—C22	108.20 (9)
C1—B6—H6	123.0 (7)	C24—C23—H23	127.1 (8)
C1—B6—B10	104.23 (6)	Co2—C24—H24	125.5 (8)
C1—B6—B11	104.58 (6)	C23—C24—Co2	69.81 (5)
Co2—B6—H6	114.0 (7)	C23—C24—H24	126.1 (8)
B5—B6—Co2	116.96 (6)	C23—C24—C25	107.76 (9)
B5—B6—H6	117.9 (7)	C25—C24—Co2	68.72 (5)
B5—B6—B11	106.78 (6)	C25—C24—H24	126.1 (8)
B10—B6—Co2	116.17 (6)	Co2—C25—H25	123.6 (9)
B10—B6—B5	59.56 (5)	C21—C25—Co2	69.74 (6)
B10—B6—H6	121.7 (7)	C21—C25—C24	108.38 (9)
B10—B6—B11	59.40 (6)	C21—C25—H25	125.6 (9)
B11—B6—Co2	63.68 (4)	C24—C25—Co2	70.79 (5)
B11—B6—H6	126.5 (7)	C24—C25—H25	126.0 (9)
C1—B3—B4—B5	34.27 (6)	B5—C1—B4—B9	39.12 (6)
C1—B3—B4—B8	135.28 (7)	B5—C1—B6—Co2	-151.95 (5)
C1—B3—B4—B9	96.95 (7)	B5—C1—B6—B10	-39.40 (6)
C1—B3—C7—Co2	54.37 (5)	B5—C1—B6—B11	-100.94 (7)
C1—B3—C7—B8	-99.40 (7)	B5—B4—B8—B3	99.82 (7)
C1—B3—C7—B11	7.86 (9)	B5—B4—B8—C7	61.25 (8)
C1—B3—C7—B12	-62.05 (8)	B5—B4—B8—B9	-37.17 (6)
C1—B3—B8—B4	-38.37 (6)	B5—B4—B8—B12	-0.18 (9)
C1—B3—B8—C7	97.03 (6)	B5—B4—B9—B8	138.14 (7)
C1—B3—B8—B9	0.14 (8)	B5—B4—B9—B10	37.75 (6)
C1—B3—B8—B12	63.05 (8)	B5—B4—B9—B12	101.17 (7)
C1—B4—B5—B6	32.89 (6)	B5—B6—B10—B9	-36.47 (6)
C1—B4—B5—B9	134.94 (7)	B5—B6—B10—B11	-137.44 (7)

C1—B4—B5—B10	96.58 (7)	B5—B6—B10—B12	-99.35 (8)
C1—B4—B8—B3	38.61 (6)	B5—B6—B11—Co2	-112.27 (6)
C1—B4—B8—C7	0.04 (8)	B5—B6—B11—C7	-60.65 (8)
C1—B4—B8—B9	-98.38 (7)	B5—B6—B11—B10	37.52 (6)
C1—B4—B8—B12	-61.39 (8)	B5—B6—B11—B12	0.10 (9)
C1—B4—B9—B5	-38.58 (6)	B5—B9—B10—B6	36.89 (6)
C1—B4—B9—B8	99.56 (7)	B5—B9—B10—B11	101.87 (7)
C1—B4—B9—B10	-0.84 (8)	B5—B9—B10—B12	138.51 (7)
C1—B4—B9—B12	62.58 (8)	B5—B9—B12—C7	61.28 (8)
C1—B5—B6—Co2	28.50 (5)	B5—B9—B12—B8	100.24 (7)
C1—B5—B6—B10	134.47 (7)	B5—B9—B12—B10	-37.11 (7)
C1—B5—B6—B11	97.02 (7)	B5—B9—B12—B11	-0.15 (9)
C1—B5—B9—B4	39.04 (6)	B5—B10—B11—Co2	-8.27 (9)
C1—B5—B9—B8	1.90 (9)	B5—B10—B11—B6	-38.43 (6)
C1—B5—B9—B10	-98.54 (7)	B5—B10—B11—C7	60.43 (8)
C1—B5—B9—B12	-61.34 (8)	B5—B10—B11—B12	99.25 (7)
C1—B5—B10—B6	-39.05 (6)	B5—B10—B12—C7	-63.48 (8)
C1—B5—B10—B9	99.95 (7)	B5—B10—B12—B8	-1.80 (9)
C1—B5—B10—B11	-0.15 (9)	B5—B10—B12—B9	36.63 (6)
C1—B5—B10—B12	63.38 (8)	B5—B10—B12—B11	-102.46 (7)
C1—B6—B10—B5	38.72 (6)	B6—C1—B3—Co2	46.53 (5)
C1—B6—B10—B9	2.24 (8)	B6—C1—B3—B4	-107.52 (7)
C1—B6—B10—B11	-98.73 (7)	B6—C1—B3—C7	-7.87 (8)
C1—B6—B10—B12	-60.63 (8)	B6—C1—B3—B8	-68.59 (8)
C1—B6—B11—Co2	-51.67 (5)	B6—C1—B4—B3	104.16 (7)
C1—B6—B11—C7	-0.05 (8)	B6—C1—B4—B5	-36.66 (7)
C1—B6—B11—B10	98.13 (7)	B6—C1—B4—B8	64.99 (8)
C1—B6—B11—B12	60.70 (8)	B6—C1—B4—B9	2.46 (9)
Co2—C1—B3—B4	-154.05 (5)	B6—C1—B5—B4	142.78 (7)
Co2—C1—B3—C7	-54.41 (5)	B6—C1—B5—B9	103.00 (7)
Co2—C1—B3—B8	-115.12 (6)	B6—C1—B5—B10	39.80 (6)
Co2—C1—B4—B3	27.83 (6)	B6—B5—B9—B4	100.60 (7)
Co2—C1—B4—B5	-112.99 (7)	B6—B5—B9—B8	63.46 (9)
Co2—C1—B4—B8	-11.35 (9)	B6—B5—B9—B10	-36.98 (6)
Co2—C1—B4—B9	-73.87 (8)	B6—B5—B9—B12	0.22 (9)
Co2—C1—B5—B4	112.15 (7)	B6—B5—B10—B9	139.00 (7)
Co2—C1—B5—B6	-30.63 (6)	B6—B5—B10—B11	38.90 (6)
Co2—C1—B5—B9	72.37 (8)	B6—B5—B10—B12	102.43 (7)
Co2—C1—B5—B10	9.17 (9)	B6—B10—B11—Co2	30.16 (6)
Co2—C1—B6—B5	151.95 (5)	B6—B10—B11—C7	98.86 (7)
Co2—C1—B6—B10	112.55 (6)	B6—B10—B11—B12	137.68 (7)
Co2—C1—B6—B11	51.02 (5)	B6—B10—B12—C7	0.31 (9)
Co2—B3—B4—C1	-26.93 (6)	B6—B10—B12—B8	61.99 (9)
Co2—B3—B4—B5	7.34 (9)	B6—B10—B12—B9	100.42 (7)
Co2—B3—B4—B8	108.35 (7)	B6—B10—B12—B11	-38.67 (7)
Co2—B3—B4—B9	70.02 (8)	B6—B11—B12—C7	-97.26 (7)
Co2—B3—C7—B8	-153.77 (5)	B6—B11—B12—B8	-64.15 (8)
Co2—B3—C7—B11	-46.51 (6)	B6—B11—B12—B9	0.03 (9)

Co2—B3—C7—B12	-116.42 (6)	B6—B11—B12—B10	37.18 (6)
Co2—B3—B8—B4	-108.13 (7)	C7—B3—B4—C1	-96.86 (6)
Co2—B3—B8—C7	27.27 (6)	C7—B3—B4—B5	-62.58 (8)
Co2—B3—B8—B9	-69.62 (8)	C7—B3—B4—B8	38.42 (6)
Co2—B3—B8—B12	-6.72 (9)	C7—B3—B4—B9	0.09 (8)
Co2—B6—B10—B5	107.28 (7)	C7—B3—B8—B4	-135.40 (7)
Co2—B6—B10—B9	70.81 (8)	C7—B3—B8—B9	-96.90 (7)
Co2—B6—B10—B11	-30.16 (6)	C7—B3—B8—B12	-33.99 (6)
Co2—B6—B10—B12	7.93 (9)	C7—B8—B9—B4	-99.95 (7)
Co2—B6—B11—C7	51.62 (5)	C7—B8—B9—B5	-62.64 (8)
Co2—B6—B11—B10	149.80 (6)	C7—B8—B9—B10	0.52 (8)
Co2—B6—B11—B12	112.37 (6)	C7—B8—B9—B12	38.55 (6)
Co2—C7—B8—B3	-28.14 (6)	C7—B8—B12—B9	-135.08 (7)
Co2—C7—B8—B4	11.27 (9)	C7—B8—B12—B10	-96.60 (7)
Co2—C7—B8—B9	74.02 (7)	C7—B8—B12—B11	-32.89 (6)
Co2—C7—B8—B12	113.11 (7)	C7—B11—B12—B8	33.11 (6)
Co2—C7—B11—B6	-50.99 (5)	C7—B11—B12—B9	97.29 (7)
Co2—C7—B11—B10	-112.37 (6)	C7—B11—B12—B10	134.44 (7)
Co2—C7—B11—B12	-151.92 (6)	B8—B3—B4—C1	-135.28 (7)
Co2—C7—B12—B8	-111.94 (7)	B8—B3—B4—B5	-101.00 (7)
Co2—C7—B12—B9	-72.23 (8)	B8—B3—B4—B9	-38.33 (6)
Co2—C7—B12—B10	-9.12 (9)	B8—B3—C7—Co2	153.77 (5)
Co2—C7—B12—B11	30.73 (6)	B8—B3—C7—B11	107.26 (7)
Co2—B11—B12—C7	-28.58 (6)	B8—B3—C7—B12	37.35 (7)
Co2—B11—B12—B8	4.53 (9)	B8—B4—B5—C1	-97.52 (7)
Co2—B11—B12—B9	68.71 (8)	B8—B4—B5—B6	-64.63 (8)
Co2—B11—B12—B10	105.86 (7)	B8—B4—B5—B9	37.42 (6)
Co2—C21—C22—C23	-60.38 (6)	B8—B4—B5—B10	-0.95 (9)
Co2—C21—C25—C24	60.51 (6)	B8—B4—B9—B5	-138.14 (7)
Co2—C22—C23—C24	-59.49 (6)	B8—B4—B9—B10	-100.39 (7)
Co2—C23—C24—C25	-58.41 (6)	B8—B4—B9—B12	-36.98 (6)
Co2—C24—C25—C21	-59.85 (6)	B8—C7—B11—Co2	115.47 (6)
B3—C1—B4—B5	-140.82 (7)	B8—C7—B11—B6	64.48 (8)
B3—C1—B4—B8	-39.18 (6)	B8—C7—B11—B10	3.10 (9)
B3—C1—B4—B9	-101.70 (7)	B8—C7—B11—B12	-36.45 (7)
B3—C1—B5—B4	37.85 (7)	B8—C7—B12—B9	39.70 (6)
B3—C1—B5—B6	-104.93 (7)	B8—C7—B12—B10	102.82 (7)
B3—C1—B5—B9	-1.93 (9)	B8—C7—B12—B11	142.67 (7)
B3—C1—B5—B10	-65.12 (8)	B8—B9—B10—B5	-100.59 (7)
B3—C1—B6—Co2	-45.97 (5)	B8—B9—B10—B6	-63.70 (8)
B3—C1—B6—B5	105.98 (7)	B8—B9—B10—B11	1.27 (9)
B3—C1—B6—B10	66.57 (8)	B8—B9—B10—B12	37.92 (6)
B3—C1—B6—B11	5.04 (8)	B8—B9—B12—C7	-38.96 (6)
B3—B4—B5—C1	-34.39 (6)	B8—B9—B12—B10	-137.34 (7)
B3—B4—B5—B6	-1.50 (9)	B8—B9—B12—B11	-100.39 (7)
B3—B4—B5—B9	100.55 (7)	B9—B4—B5—C1	-134.94 (7)
B3—B4—B5—B10	62.18 (8)	B9—B4—B5—B6	-102.05 (7)
B3—B4—B8—C7	-38.57 (6)	B9—B4—B5—B10	-38.37 (6)

B3—B4—B8—B9	-136.98 (7)	B9—B4—B8—B3	136.98 (7)
B3—B4—B8—B12	-100.00 (7)	B9—B4—B8—C7	98.42 (7)
B3—B4—B9—B5	-99.91 (7)	B9—B4—B8—B12	36.98 (6)
B3—B4—B9—B8	38.23 (6)	B9—B5—B6—C1	-97.22 (7)
B3—B4—B9—B10	-62.16 (8)	B9—B5—B6—Co2	-68.72 (8)
B3—B4—B9—B12	1.25 (9)	B9—B5—B6—B10	37.25 (6)
B3—C7—B8—B4	39.41 (6)	B9—B5—B6—B11	-0.20 (9)
B3—C7—B8—B9	102.16 (7)	B9—B5—B10—B6	-139.00 (7)
B3—C7—B8—B12	141.25 (7)	B9—B5—B10—B11	-100.10 (7)
B3—C7—B11—Co2	45.99 (6)	B9—B5—B10—B12	-36.57 (7)
B3—C7—B11—B6	-5.00 (9)	B9—B8—B12—C7	135.08 (7)
B3—C7—B11—B10	-66.38 (8)	B9—B8—B12—B10	38.49 (6)
B3—C7—B11—B12	-105.93 (7)	B9—B8—B12—B11	102.19 (7)
B3—C7—B12—B8	-37.40 (6)	B9—B10—B11—Co2	-71.24 (8)
B3—C7—B12—B9	2.31 (9)	B9—B10—B11—B6	-101.40 (7)
B3—C7—B12—B10	65.42 (8)	B9—B10—B11—C7	-2.54 (8)
B3—C7—B12—B11	105.27 (7)	B9—B10—B11—B12	36.28 (6)
B3—B8—B9—B4	-38.59 (6)	B9—B10—B12—C7	-100.11 (7)
B3—B8—B9—B5	-1.27 (9)	B9—B10—B12—B8	-38.43 (6)
B3—B8—B9—B10	61.89 (8)	B9—B10—B12—B11	-139.09 (7)
B3—B8—B9—B12	99.92 (7)	B10—B5—B6—C1	-134.47 (7)
B3—B8—B12—C7	34.05 (6)	B10—B5—B6—Co2	-105.97 (7)
B3—B8—B12—B9	-101.03 (7)	B10—B5—B6—B11	-37.45 (6)
B3—B8—B12—B10	-62.55 (8)	B10—B5—B9—B4	137.58 (7)
B3—B8—B12—B11	1.16 (9)	B10—B5—B9—B8	100.44 (7)
B4—C1—B3—Co2	154.05 (5)	B10—B5—B9—B12	37.20 (7)
B4—C1—B3—C7	99.65 (7)	B10—B6—B11—Co2	-149.80 (6)
B4—C1—B3—B8	38.93 (6)	B10—B6—B11—C7	-98.17 (7)
B4—C1—B5—B6	-142.78 (7)	B10—B6—B11—B12	-37.42 (6)
B4—C1—B5—B9	-39.78 (6)	B10—B9—B12—C7	98.38 (7)
B4—C1—B5—B10	-102.98 (7)	B10—B9—B12—B8	137.34 (7)
B4—C1—B6—Co2	-115.54 (6)	B10—B9—B12—B11	36.95 (6)
B4—C1—B6—B5	36.41 (6)	B10—B11—B12—C7	-134.44 (7)
B4—C1—B6—B10	-3.00 (9)	B10—B11—B12—B8	-101.33 (7)
B4—C1—B6—B11	-64.53 (8)	B10—B11—B12—B9	-37.15 (7)
B4—B3—C7—Co2	114.90 (6)	B11—B6—B10—B5	137.44 (7)
B4—B3—C7—B8	-38.87 (6)	B11—B6—B10—B9	100.97 (7)
B4—B3—C7—B11	68.39 (8)	B11—B6—B10—B12	38.10 (7)
B4—B3—C7—B12	-1.52 (9)	B11—C7—B8—B3	-104.49 (7)
B4—B3—B8—C7	135.40 (7)	B11—C7—B8—B4	-65.08 (8)
B4—B3—B8—B9	38.51 (6)	B11—C7—B8—B9	-2.33 (9)
B4—B3—B8—B12	101.41 (7)	B11—C7—B8—B12	36.76 (7)
B4—B5—B6—C1	-33.04 (6)	B11—C7—B12—B8	-142.67 (7)
B4—B5—B6—Co2	-4.54 (9)	B11—C7—B12—B9	-102.96 (7)
B4—B5—B6—B10	101.43 (7)	B11—C7—B12—B10	-39.85 (6)
B4—B5—B6—B11	63.98 (8)	B11—B10—B12—C7	38.98 (6)
B4—B5—B9—B8	-37.14 (6)	B11—B10—B12—B8	100.66 (7)
B4—B5—B9—B10	-137.58 (7)	B11—B10—B12—B9	139.09 (7)

---

B4—B5—B9—B12	-100.38 (7)	B12—C7—B8—B3	-141.25 (7)
B4—B5—B10—B6	-100.74 (7)	B12—C7—B8—B4	-101.85 (7)
B4—B5—B10—B9	38.26 (6)	B12—C7—B8—B9	-39.10 (6)
B4—B5—B10—B11	-61.84 (8)	B12—C7—B11—Co2	151.92 (6)
B4—B5—B10—B12	1.69 (9)	B12—C7—B11—B6	100.93 (7)
B4—B8—B9—B5	37.31 (6)	B12—C7—B11—B10	39.55 (6)
B4—B8—B9—B10	100.47 (7)	B12—B8—B9—B4	-138.51 (7)
B4—B8—B9—B12	138.51 (7)	B12—B8—B9—B5	-101.19 (8)
B4—B8—B12—C7	97.83 (7)	B12—B8—B9—B10	-38.03 (6)
B4—B8—B12—B9	-37.25 (6)	B12—B9—B10—B5	-138.51 (7)
B4—B8—B12—B10	1.23 (9)	B12—B9—B10—B6	-101.62 (7)
B4—B8—B12—B11	64.94 (8)	B12—B9—B10—B11	-36.64 (6)
B4—B9—B10—B5	-37.78 (6)	B12—B10—B11—Co2	-107.52 (7)
B4—B9—B10—B6	-0.89 (9)	B12—B10—B11—B6	-137.68 (7)
B4—B9—B10—B11	64.08 (8)	B12—B10—B11—C7	-38.82 (6)
B4—B9—B10—B12	100.73 (7)	C21—C22—C23—Co2	59.97 (6)
B4—B9—B12—C7	-2.11 (9)	C21—C22—C23—C24	0.48 (10)
B4—B9—B12—B8	36.85 (6)	C22—C21—C25—Co2	-59.46 (7)
B4—B9—B12—B10	-100.49 (7)	C22—C21—C25—C24	1.05 (10)
B4—B9—B12—B11	-63.54 (8)	C22—C23—C24—Co2	58.58 (6)
B5—C1—B3—Co2	116.26 (6)	C22—C23—C24—C25	0.17 (10)
B5—C1—B3—B4	-37.79 (7)	C23—C24—C25—Co2	59.09 (6)
B5—C1—B3—C7	61.85 (8)	C23—C24—C25—C21	-0.76 (10)
B5—C1—B3—B8	1.13 (9)	C25—C21—C22—Co2	59.44 (6)
B5—C1—B4—B3	140.82 (7)	C25—C21—C22—C23	-0.94 (10)
B5—C1—B4—B8	101.65 (7)		

---